



Helihi

Main Applications

Balloon inflating

Transport Information

Compressed gas

Proper shipping name *Helium, compressed*

UN Nr: *1046*

ADR/RID: *Class 2
Classification Code 1A*



Safety Data Sheet

Compressed gas: *SDS-061A-CLP*

Physical Information

Molecular weight: *4 g/mol*

Relative density, gas: *0.14 (air=1)*

Relative density, liquid: *N/A (water=1)*

CAS number: *7440-59-7*

Properties

Main hazards: *In high concentrations may cause asphyxiation*

Flammability range: *Non-flammable*

Personal protection: *Ensure adequate ventilation*

Cylinder Equipment

Cylinder valve fittings: *BS341 No. 3*

Bundle valve fittings: *2 x valve outlets*

.1 = NEVOC

.1 = BS 341 No 3

Shoulder colour: *Brown RAL 8008*



Product Specifications

Purity Grade (% Vol. abs)	Supply mode	Packaging size	Pressure (bar)	Capacity (m ³)	Product reference
Helihi					
95% Vol	Cylinder	L10	200	1.8	91411100
	Cylinder	L20	200	3.7	91411200
	Cylinder	L50	200	9.2	91411500
	Cylinder	L50 Nevoc	300	13.1	91413500
	Bundle	16 x L50	300	210.2	91413860

DISCLAIMER

AIR LIQUIDE S.A. and/or its affiliates ("AIR LIQUIDE") are not responsible for the use or consequences of use of the information contained in this Product sheet.

AIR LIQUIDE does not hold itself out as recommending the use of the information contained herein or reliance thereon in any way, makes no warranties regarding the information contained in this document and assumes no liability or responsibility in connection with the information or suggestions contained herein.

AIR LIQUIDE makes no representations or warranties regarding the completeness of this document and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED INCLUDING, BUT NOT LIMITED TO, WARRANTY OF MERCHANTABILITY AND WARRANTY OF FITNESS FOR A PARTICULAR USE OR PURPOSE.

The information contained in this product sheet is based on the technical information and experience currently available to AIR LIQUIDE.

This document should not be confused with regulations (national or European), insurance requirements or codes. Moreover it should not be assumed that every acceptable local grade, test or safety procedure or method, precaution, equipment or device is contained herein, nor that abnormal or unusual circumstances may not warrant or suggest further requirements or additional procedures.

It is up to users of this document to ensure that they have the latest edition. AIR LIQUIDE may, at its sole discretion, add, delete or change some or all of the information contained in this Product sheet.

It is strictly forbidden to copy or reproduce some or all parts of this Product sheet without the written authorisation of AIR LIQUIDE.

AIR LIQUIDE owns, reserves and retains all proprietary rights, including copyright, to the present Product sheet.

This Product sheet and the photographs and images contained herein shall not be copied or reproduced in any way, sold, loaned, transferred or otherwise distributed to others, used for any purpose or in any manner detrimental to the interest of AIR LIQUIDE. The trademarks, service marks, trade names, logos or other indications of origin displayed in this Product sheet are registered and unregistered trademarks of AIR LIQUIDE or a third party from whom AIR LIQUIDE has obtained the right to use them in this Product sheet. Use of any copyright materials and/or trademarks is subject to the written approval of AIR LIQUIDE on a separate permission form.

For further information on our Helihi range:

Call us on **0800 637737**

email us on **genenq.ALUK@airliquide.com**

visit our website **www.industry.airliquide.co.uk**

